Collaborative Staging Codes

Testis

C62.0-C62.1, C62.9

C62.0 Undescended testis

C62.1 Descended testis

C62.9 Testis, NOS

Note: Laterality must be coded for this site.

Testis CS Tumor Size SEE STANDARD TABLE

Testis

CS Extension (Revised: 07/26/2007)

Note: According to AJCC, "Except for pTis and pT4, extent of primary tumor for TNM is classified by radical orchiectomy. TX is used for other categories in the absence of radical orchiectomy." For Collaborative Staging, this means that the categories of T1, T2, and T3 are derived only when Site Specific Factor 4 indicates that a radical orchiectomy was performed. See the Extension Orchiectomy table for details.

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive; intraepithelial Intratubular germ cell neoplasia	Tis	IS	' IS
10	Invasive tumor WITHOUT vascular/lymphatic invasion, or presence of vascular/lymphatic invasion not stated Body of testis Rete testis Tunica albuginea	*	L	L
15	Invasive tumor WITH vascular/lymphatic invasion Body of testis Rete testis Tunica albuginea	*	L	L
20	Tunica vaginalis involved Surface implants	*	L	L
30	Localized, NOS	*	L	L
31	Tunica, NOS	TX	L	L
40	Epididymis involved WITHOUT vascular/lymphatic invasion, or presence of vascular/lymphatic invasion not stated	*	RE	RE

45	Epididymis involved WITH vascular/lymphatic invasion	*	RE	RE
50	Spermatic cord, ipsilateral Vas deferens	*	RE	RE
60	Dartos muscle, ipsilateral Scrotum, ipsilateral	T4	RE	RE
70	Extension to scrotum, contralateral Ulceration of scrotum	T4	D	D
75	Penis	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Testis

CS TS/Ext-Eval

SEE STANDARD TABLE

NOTE: For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Testis

CS Lymph Nodes (Revised: 08/15/2006)

Note 1: Regional nodes in codes 10-30 include contralateral and bilateral nodes.

Note 2: Involvement of inguinal, pelvic, or external iliac lymph nodes in the absence of previous scrotal or inguinal surgery is coded in CS Mets at DX, as distant lymph node involvement.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) (bilateral and contralateral): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Preaortic Retroaortic Retroperitoneal, NOS Spermatic vein	*	RN	RN

20	Regional lymph node(s) (bilateral and contralateral): Pericaval, NOS: Interaortocaval Paracaval Precaval Retrocaval	*	D	RN
30	Regional lymph node(s) (bilateral and contralateral): Pelvic, NOS External iliac WITH previous scrotal or inguinal surgery	*	RN	RN
40	Inguinal nodes, NOS: Deep, NOS Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial (femoral) WITH previous scrotal or inguinal surgery	*	D	D
50	Regional lymph node(s), NOS	*	RN	RN
80	Lymph nodes, NOS	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Testis
Reg LN Pos
SEE STANDARD TABLE

Testis Reg LN Exam SEE STANDARD TABLE

Testis

CS Mets at DX (Revised: 08/15/2006)

Note: Involvement of inguinal, pelvic, or external iliac lymph nodes after previous scrotal or inguinal surgery is coded under CS Lymph Nodes, as regional node involvement.

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
11	Distant lymph node(s): Pelvic, NOS External iliac WITHOUT previous scrotal or inguinal surgery, or	M1a	RN	RN

11 cont'd	unknown if previous scrotal or inguinal surgery	Mla	RN	RN
12	Distant lymph node(s): Inguinal nodes, NOS: Deep, NOS Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial (femoral) WITHOUT previous scrotal or inguinal surgery, or unknown if previous scrotal or inguinal surgery	M1a	D	D
13	Specified distant lymph node(s), other than code (11) or (12) Distant lymph node(s), NOS	M1a	D	D
20	Distant metastasis to lung	M1a	D	D
25	Distant metastases to lung and lymph nodes (20) + any of [(10) to (13)]	Mla	D	D
40	Metastasis to other distant sites (WITH or WITHOUT metastasis to lung and/or distant lymph node(s)) Carcinomatosis	M1b	D	D
45	Distant metastasis, NOS	MINOS	D	D
99	Unknown Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Collaborative Staging Codes

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and Lymphoma) C63.0-C63.1, C63.7-C63.9

C63.0 Epididymis

C63.1 Spermatic cord

C63.7 Other specified parts of male genital organs

C63.8 Overlapping lesion of male genital organs

C63.9 Male genital organs, NOS

Note 1: AJCC does not define TNM staging for this site.

Note 2: Laterality must be coded for C63.0-C63.1.

Note 3: Carcinoma of the scrotum is included in the scrotum schema. Melanoma (M-8720-8790) of scrotum is included in the melanoma skin schema. Mycosis fungoides (M-9700) or Sezary disease (M-9701) of scrotum is included in the mycosis fungoides schema. Melanoma, mycosis fungoides, or Sezary disease of any other site listed is coded using this schema. Kaposi sarcoma of all sites is included in the Kaposi sarcoma schema, and lymphomas of all sites are included in the lymphoma schema.

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and Lymphoma)

CS Tumor Size

SEE STANDARD TABLE

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and Lymphoma)

CS Extension (Revised: 03/17/2004)

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive; intraepithelial	NA	IS	IS
10	Confined to site of origin	NA	L	L
30	Localized, NOS	NA	L	L
40	Adjacent connective tissue (See definition of connective tissue in the general instructions)	NA	RE	RE
60	Adjacent organs/structures: Male genital organs: Penis Prostate Testis	NA	RE	RE

60 cont'd	Sites in this schema which are not the primary	NA	RE	RE
80	Further contiguous extension Other organs and structures in male pelvis: Bladder Rectum Urethra	NA	D	D
95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and Lymphoma)

CS TS/Ext-Eval (Revised: 03/17/2004)

Code	Description	Staging Basis
9	Not applicable for this site	NA

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and Lymphoma)

CS Lymph Nodes (Revised: 08/15/2006)

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph node(s) Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Pelvic, NOS Regional lymph node(s), NOS	NA	RN	RN

80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed	NA	U	U

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant

Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and

Lymphoma) Reg LN Pos

SEE STANDARD TABLE

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant

Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and

Lymphoma)
Reg LN Exam
SEE STANDARD TABLE

Other and Unspecified Male Genital Organs (excluding for Scrotum: Malignant Melanoma, Mycosis Fungoides, and Sezary Disease, and for all sites: Kaposi Sarcoma and

Lymphoma)

CS Mets at DX (Revised: 12/09/2003)

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D ·
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

Collaborative Staging Codes

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

C63.2 Scrotum, NOS

Note: Melanoma (M-8720-8790) of scrotum is included in the melanoma schema. Mycosis Fungoides (M-9700) or Sezary disease (M-9701) of scrotum is included in the Mycosis Fungoides schema. Kaposi sarcoma of the scrotum is included in the Kaposi Sarcoma schema. Lymphoma of the scrotum is included in the lymphoma schema.

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]
CS Tumor Size
SEE STANDARD TABLE

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Extension (Revised: 08/15/2006)

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepidermal	Tis	IS	IS
10	Confined to scrotum	*	L	L
30	Localized, NOS	*	L	L
40	Adjacent connective tissue (See definition of connective tissue in general instructions)	*	RE	RE
60	Adjacent organs/structures Male genital organs: Epididymis Penis Prostate Spermatic cord Testis	T4	RE	RE
80	Further contiguous extension Other organs and structures in male pelvis: Bladder Rectum Urethra	T4	D	D
95	No evidence of primary tumor	ТО	U	U

99	Unknown extension	TX	U	U
	Primary tumor cannot be assessed	•	·	
	Not documented in patient record			

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS TS/Ext-Eval

SEE STANDARD TABLE

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Lymph Nodes (Revised: 08/15/2006)

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes Iliac, NOS: External Internal (hypogastric), NOS: Obturator Inguinal, NOS: Deep inguinal, NOS Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

Reg LN Pos

SEE STANDARD TABLE

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

Reg LN Exam

SEE STANDARD TABLE

Scrotum [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]
CS Mets at DX
SEE STANDARD TABLE

Site Specific Surgery Codes

Testis

C620-C629

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- None; no surgery of primary site; autopsy ONLY
- Local tumor destruction, NOSNo specimen sent to pathology from surgical event 12
- 20 Local or partial excision of testicle Specimen sent to pathology from surgical event 20
- 30 Excision of testicle, WITHOUT cord [SEER Note: Orchiectomy not including spermatic cord]
- Excision of testicle WITH cord or cord not mentioned (radical orchiectomy)

 [SEER Note: Orchiectomy with or without spermatic cord]
- 80 Orchiectomy, NOS (unspecified whether partial or total testicle removed)
- 90 Surgery, NOS
- Unknown if surgery performed; death certificate only

Site Specific Surgery Codes

All Other Sites

C142–C148, C170–C179, C239, C240–C249, C260–C269, C300–C301, C310–C319, C339, C379, C380–C388, C390–C399, C480–C488, C510–C519, C529, C570–C579, C589, C600–C609, **C630–C639**, C680–C689, C690–C699, C740–C749, C750–C759 (Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

Codes

- None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
 - 11 Photodynamic therapy (PDT)
 - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
 - 13 Cryosurgery
 - 14 Laser

No specimen sent to pathology from surgical events 10-14

- 20 Local tumor excision, NOS
 - 26 Polypectomy
 - 27 Excisional biopsy

Any combination of 20 or 26-27 WITH

- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

[SEER Note: Codes 21 to 24 above combine 20 local tumor excision, 26 Polypectomy or 27 Excisional biopsy with 21 PDT, 22 Electrocautery, 23 Cryosurgery, or 24 Laser ablation]

25 Laser excision

Specimen sent to pathology from surgical events 20–27

- 30 Simple/partial surgical removal of primary site
- 40 Total surgical removal of primary site; enucleation
 - 41 Total enucleation (for eye surgery only)
- 50 Surgery stated to be "debulking"
- Radical surgery
 Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs

[SEER Note: In continuity with or "en bloc" means that all of the tissues were removed during the same procedure, but not necessarily in a single specimen]

- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY